

[China Smco Magnets, Manufacturer, Supplier, Factory, Exporter in china](#)



NET Smco Magnets china manufacturer,supplier,exporter,factory in china



Material	Grade	Br		Hcb		Hcj		(BH)max		TC	TW	Temperature coefficern of bi	Temper coeffic ihc
		Remanence Br		Coercivity Force		Intrinsic Coercivity		Maximum Energy		Curie Temperature	Max Operating Temperature		
		T	KGS	KA/m	KOe	KA/m	KOe	KJ/m3	MGoe	•C	•C	%•C	%•C
5 (Smpr)co5	YX-16	0.81-0.85	8.1-8.5	620-660	7.8-8.3	1194-1830	15-23	110-127	14-16	750	250	-0.05	-0.3
	YX-18	0.85-0.9	8.5-9.0	660-700	8.3-8.8	1194-1830	15-23	127-143	16-18	750	250	-0.05	-0.3
	YX-20	0.9-0.94	9.0-9.4	680-725	8.5-9.1	1194-1830	15-23	150-167	19-21	750	250	-0.05	-0.3
	YX-22	0.92-0.96	9.2-9.6	710-750	8.9-9.4	1194-1830	15-23	160-175	20-22	750	250	-0.05	-0.3
	YX-24	0.96-1.0	9.6-10.0	730-770	9.2-9.7	1194-1830	15-23	175-190	22-24	750	250	-0.05	-0.3
SmCo5	YX-20s	0.9-0.94	9.0-9.4	680-725	8.5-9.1	1433-1830	18-23	143-160	18-20	750	250	-0.045	-0.2
	YX-22s	0.92-0.96	9.2-9.6	710-750	8.9-9.4	1433-1830	18-23	160-175	20-22	750	250	-0.045	-0.2
temperature cient SmCo5 (nGd)Co5	LTc(YX-10)	0.59-0.63	5.9-6.3	460-493	5.8-6.2	1430-1830	18-23	68-80	8.5-10	700	250	Temperature range	BrTempe coefficie
												20-100•C	-0.00
	ngyc											100-200•C	-0.00
												200-300•C	-0.00

CoFeCu)5	YX-12	0.70-0.74	7.0-7.4	358-390	4.5-4.9	358-478	4.5-6	80-103	10-13	450	200		
m2Co17 CoFeCuZr)17	YXG-24H	0.95-1.02	9.5-10.2	700-750	8.7-9.4	1990	1990	175-191	22-24	800	350	-0.03	-0.03
	YXG-26H	1.02-1.05	10.2-10.5	750-780	9.4-9.8	1990	1990	191-207	24-26	800	350	-0.03	-0.03
	YXG-28H	1.03-1.08	10.3-10.8	756-796	9.5-10	1990	1990	207-220	26-28	800	350	-0.03	-0.03
	YXG-30H	1.08-1.10	10.8-11.0	788-835	9.9-10.5	1990	1990	220-240	28-30	800	350	-0.03	-0.03
	YXG-24	0.95-1.02	9.5-10.2	700-750	8.7-9.4	1433	1433	175-191	22-24	800	300	-0.03	-0.03
	YXG-26	1.02-1.05	10.2-10.5	750-780	9.4-9.8	1433	1433	191-207	24-26	800	300	-0.03	-0.03
	YXG-28	1.03-1.08	10.3-10.8	756-796	9.5-10	1433	1433	207-220	26-28	800	300	-0.03	-0.03
	YXG-30	1.08-1.10	10.8-11.0	788-835	9.9-10.5	1433	1433	220-240	28-30	800	300	-0.03	-0.03
	YXG-26M	1.02-1.05	10.2-10.5	750-780	9.4-9.8	955-1273	12-16	191-207	24-26	800	300	-0.03	-0.03
	YXG-28M	1.03-1.08	10.3-10.8	756-796	9.5-10.0	955-1273	12-16	207-220	26-28	800	300	-0.03	-0.03
	YXG-30M	1.08-1.10	10.8-11.0	788-835	9.9-10.5	955-1273	12-16	220-240	28-30	800	300	-0.03	-0.03
	YXG-28L	1.02-1.08	10.2-10.8	413-716	5.2-9.0	438-796	5.5-10.0	207-220	26-28	800	250	-0.03	-0.03
	YXG-30L	1.08-1.15	10.8-11.5	413-716	5.2-9.0	438-796	5.5-10.0	220-240	28-30	800	250	-0.03	-0.03
temperature efficient m2Co17 )2(CoTM)17	LTC(YXG-22)	0.94-0.98	9.4-9.8	668-715	8.4-9.0	1194-1591	15-20	167-183	21-23	840	300	Temperature range	BrTemp coefficient
												-50-25•C	Δ0.0
												20-100•C	Δ0.0
	ngyc											100-200•C	Δ0.0
												200-300•C	-0.0



[Samarium Cobalt magnet](#)

[Magnetic Separator](#), [Magnetic drum separators](#), [Overband magnetic separators](#), [Used magnetic separators](#), [Eriez magnetic separator](#), [Bullet Magnet](#), [Magnetic bullet](#), [Magnetic bullet holes](#), [Magnetic bullet trains](#), [Are bullets magnetic](#), [Permanent Magnetic Separator](#), [Cross-belt Permanent Magnetic Separator](#), [Permanent magnetic motor](#), [Permanent magnetic field](#), [Permanent magnetic generator](#), [Make permanent magnets](#), [Permanent magnetic chuck](#), [Permanent magnetic lifter](#), [Hump Magnets](#), [Magnets Hump](#), [Magnetic Bar](#), [Bar magnets](#), [magnetic stir bar](#), [magnetic field bar](#), [magnetic knife bar](#), [magnetic towel bar](#), [magnetic stirring bar](#), [two bar magnets](#), [alnico bar magnets](#), [Magnetic Drawer](#), [Magnetic draw](#), [Magnetic drawer locks](#), [Mount magnetic drawer](#), [Magnetic Grate](#), [Grate magnets](#), [Magnetic grates](#), [Magnetic Liquid](#)

[Traps,Liquid Line Magnetic Traps](#) , [Plate Magnets,Magnetic plate](#) , [Magnetic I plates](#) , [Magnetic plates](#) , [Magnetic sine plate](#) , [Magnetic kick plate](#) , [Magnetic Material](#),[Magnets Material](#) , [Magnetic Materials](#) , [Alnico Magnets](#),[Powerfull Alnico magnets](#) , [Alnico Magnet Information](#) , [Ceramic Magnets](#),[Iron Boron Ceramic Magnet](#) , [Ceramic ring magnets](#) , [Ceramic disc magnets](#) , [Ceramic block magnets](#) , [Flexible Magnets](#),[Flexible magnetic sheet](#) , [Flexible magnetic tape](#) , [Flexible magnetic](#) , [Flexible magnetic sheets](#) , [Rare Earth Magnet](#),[Neodymium rare earth magnets](#) , [Buy rare earth magnets](#) , [large rare earth magnets](#) , [Smco Magnets](#),[Samarium Cobalt magnet](#) , [Magnetic Assemblies](#),[Magnetic self assembly](#) , [Magnets assembly](#) , [Assembly now it's magnetic](#) , [Lifting Magnets](#),[Lift magnets](#) , [Lifting electromagnet](#) , [Electromagnet lift](#) , [Plate lifting magnets](#) , [Magnetic Tools](#),[Magnetic lasso tool](#) , [Magnetic tool holder](#) , [Non magnetic tools](#) , [Magnetic tool bar](#) , [Magnetic tool tray](#) , [Magnetic tool rack](#) , [Alnico Pot Magnet](#),[Sintered AlNiCo magnets](#) , [Ferrite Pot Magnet](#),[Pot magnet ferrite](#) , [Rare Earth Pot Magnet](#),[Smco Pot magnets](#),[NdFeB Pot Magnets](#),[Channel Magnets](#),[Discovery channel magnetic](#) , [Magnetic Products](#),[Magnetic therapy products](#) , [Magnet therapy products](#) , [Magnetic health products](#) , [Cow Magnet](#),[Magnetic cow](#) , [Magnets in cows](#) , [Cow stomach Magnets](#) , [Cows magnets](#) , [Cow fridge magnets](#) , [Magnets for cows](#) , [Magnetic Name Badge](#),[Magnetic name badge holders](#) , [Name badge magnets](#) , [Custom magnetic name badges](#) , [Magnets for name badges](#) , [Magnetic Memo Holder](#),[Magnetic memo holders](#) , [Magnetic memo holders](#) ,

---

China NingBo Souwest Magnetech Development Co.,Ltd

Add: Xiepu Guangyuan Industrial Zhenghai,Ningbo,China(315200)

Contact: Wu Wang Rui

Tel: +86-574-86503104; 86503105;

Fax: +86-574-86503109

E-mail:[sales@magnetsw.com](mailto:sales@magnetsw.com)

WebSite: <http://www.magnetsw.com>

---